


D03 Standard Flow Bottom Ported Parallel Circuit Manifold




No. of Stations	1	1*	2	3	4	5	6	7	8	9	10	11	12
Dim. "L", 2.125" spacing	4.75	5.25	6.88	9.00	11.13	13.25	15.38	17.50	19.63	21.75	23.88	26.00	28.13
est. weight in lb.- alum	9	10	13	17	21	25	28	32	36	40	44	48	51
est. weight in lb.- iron	24	27	34	44	55	65	75	86	96	106	117	127	137
Dim. "L", 4.00" spacing	-	-	8.75	12.75	16.75	20.75	24.75	28.75	-	-	-	-	-
est. weight in lb.- alum	-	-	17	24	31	38	45	53	-	-	-	-	-
est. weight in lb.- iron	-	-	43	63	82	102	121	140	-	-	-	-	-

* DIMENSIONS FOR 1 STATION WITH RELIEF CAVITY & GAUGE PORT
 NO GAUGE PORT SUPPLIED WITH SINGLE STATION MANIFOLD SHADED AREA AVAILABLE ON SPECIAL ORDER ONLY

PART NUMBER SYSTEM

Aluminum D03 with 2.125" Spacing & SAE Porting example: **BA03GAS**SDUAAAA**



WE RESERVE THE RIGHT TO DISCONTINUE MODELS, OR CHANGE SPECIFICATIONS WITHOUT NOTICE OR INCURRING OBLIGATION

Lynch Products Can Be Modified to Suit Your Application

Phone: 1 (888) 626-4365 or +1 (905) 363-2400 Fax: 1 (800) 263-5807 www.lynch.ca sales@lynch.ca