

Product Tips and Features

Valve Adapters

Valve Adapters are transition plates designed to provide a means to mount different valve types to existing manifold interfaces.

1. Standard materials are Aluminum and Ductile Iron. Other materials including Mild Steel or Stainless Steel are optionally available.
2. Special Finishes including Black Oxide, Electroless Nickel Plating or Anodizing are optionally available.
3. UNC or Metric mounting kits with Viton O Rings and locating pins are provided.
4. D05(H or HE) to D03 Valve Adapters with A and B oriented are supplied with A & B Gauge Parts as standard. Gauge Ports are optionally available on other valve adapters.
5. All clearance holes to manifold interface are provided for all valve adapters to ensure structural integrity.
6. All D05H and D05HE Solenoid Interfaces are designed with both tank ports connected to the tank port of the mating manifold interface to ensure maximum valve performance.
7. External Pilot Port Valve Adapters for interface X & Y ports are available. Contact Factory for Part Numbers of Models not shown.
8. "L" Port Valve Adapters are available. Contact Factory for Part Numbers.
9. Gasket Mount Pressure or Flow Controls to Current ISO Interface Valve Adapters are available. Contact Factory for Part Numbers of Models not shown.
10. Obsolete to Current ISO Interface Valve Adapters are available. Contact Factory for Part Numbers.
11. Servo Valve Adapters are available. Contact Factory for Part Numbers.

WE RESERVE THE RIGHT TO DISCONTINUE MODELS, OR CHANGE SPECIFICATIONS WITHOUT NOTICE OR INCURRING OBLIGATION

Lynch Products Can Be Modified to Suit Your Application

Phone: 1 (888) 626-4365 or + 1 (905) 363-2400 Fax: 1 (800) 263-5807 www.lynch.ca sales@lynch.ca

Index

Valve Adapters

D02 to D03 Valve Adapter - AB Oriented, Short & Tall Styles	3.02.01
D03 to D02 Valve Adapter - AB Oriented	3.02.01
D03 to D05 Valve Adapter - AB or BA Oriented, Short Style	3.02.02
D03 to D05 Valve Adapter - AB or BA Oriented, Tall Style	3.02.02
D05 to D03 Valve Adapter - AB Oriented	3.03.01
D05H/HE to D03 Valve Adapter - AB Oriented.....	3.03.01
D05 to D03 Valve Adapter - BA Oriented.....	3.03.02
D05H/HE to D03 Valve Adapter - BA Oriented	3.03.02
D05/D05H/D05HE to D05H Valve Adapter with External Pilots	3.03.03
D05/D05H/D05HE to D05HE Valve Adapter with External Pilots.....	3.03.03
D05H to D05HE Valve Adapter - AB Oriented	3.03.04
D05HE to D05H Valve Adapter - AB Oriented	3.03.04
D05 to D05”L” - Valve Adapter with External Drain.....	3.03.05
D05H/HE to D05”L” Valve Adapter with External Drain.....	3.03.05
D07 to D03 Valve Adapter - AB Oriented	3.04.01
D07 to D05 Valve Adapter - AB Oriented	3.04.01
D07 to D05H Valve Adapter - AB Oriented	3.04.02
D07 to D05HE Valve Adapter - AB Oriented.....	3.04.02
D08 to D03 Valve Adapter - AB Oriented	3.05.01
D08 to D05 Valve Adapter - AB Oriented	3.05.01
D08 to D05H Valve Adapter - AB Oriented	3.05.02
D08 to D05HE Valve Adapter - AB Oriented.....	3.05.02
D08 to D07 Valve Adapter - AB Oriented	3.05.03
D06 to D05 Valve Adapter - AB Oriented	3.05.03
D10 to D07 Valve Adapter - AB Oriented	3.06.01
D10 to D08 Valve Adapter - AB Oriented	3.06.01
Obsolete Valve Adapters.....	Consult Factory
Rotators, Spacers, Specials, Servo/Servo Valve Adapters.....	Consult Factory
Servo/Directional, Directional/Servo Valve Adapters	Consult Factory



WE RESERVE THE RIGHT TO DISCONTINUE MODELS, OR CHANGE SPECIFICATIONS WITHOUT NOTICE OR INCURRING OBLIGATION

Lynch Products Can Be Modified to Suit Your Application

Phone: 1 (888) 626-4365 or +1 (905) 363-2400 Fax: 1 (800) 263-5807 www.lynch.ca sales@lynch.ca

D02 to D03 - Valve Adapters - D03 to D02

VA_02G03GAB*A194 / VA_02G03GAB*B344





UNC mounting kit includes:

- 4 - #10-24 x 1.50" SHCS
- or
- 4 - #10-24 x 3.00" SHCS
- 8 - 010 O-ring viton
- 2 - Split Pin

Metric mounting kit includes:

- 4 - M5 x 0.80 x 35mm SHCS
- or
- 4 - M5 x 0.80 x 70mm SHCS
- 8 - 010 O-ring viton
- 2 - Split Pin

VA_03G02GAB*




UNC mounting kit includes:

- 4 - #10-24 x 1.00" SHCS
- 4 - 012 O-ring viton
- 1 - Split Pin

Metric mounting kit includes:

- 4 - M5 x 0.80 x 25mm SHCS
- 4 - 012 O-ring viton
- 1 - Split Pin

PART NUMBER SYSTEM





WE RESERVE THE RIGHT TO DISCONTINUE MODELS, OR CHANGE SPECIFICATIONS WITHOUT NOTICE OR INCURRING OBLIGATION

Lynch Products Can Be Modified to Suit Your Application

Phone: 1 (888) 626-4365 or +1 (905) 363-2400 Fax: 1 (800) 263-5807 www.lynch.ca sales@lynch.ca

D03 to D05 Step-Up Valve Adapters



VA_03G05GUA244
STYLE A**



UNC mounting kit includes:
4 - 10-24 x 1.50" SHCS
8 - 012 O-ring viton
2 - Split Pin

Metric mounting kit includes:
4 - M5 x .8 x 35mm SHCS
8 - 012 O-ring viton
2 - Split Pin

VA_03G05GUB444
STYLE B**



UNC mounting kit includes:
4 - 10-24 x 3.50" SHCS
8 - 012 O-ring viton
2 - Split Pin

Metric mounting kit includes:
4 - M5 x .8 x 90 mm SHCS
8 - 012 O-ring viton
2 - Split Pin

PART NUMBER SYSTEM

TYPE	MATERIAL	MANIFOLD INTERFACE (BOTTOM)	SOLENOID INTERFACE (TOP)	PORT ORIENTATION	MOUNTING HOLES & KIT	STYLE & HEIGHT
VA Valve Adapter		03G ISO 4401-03-02 NFFA T3.5.1-D03		AB A & B Oriented BA A & B Reversed		A244 Style A - Short Height = 2.44" B444 Style B - Tall Height = 4.44"
	A Aluminum D Ductile Iron		05G ISO 4401-05-04 NFFA T3.5.1-D05		U UNC Threads and Mounting Kit M Metric Threads and Mounting Kit	


WE RESERVE THE RIGHT TO DISCONTINUE MODELS, OR CHANGE SPECIFICATIONS WITHOUT NOTICE OR INCURRING OBLIGATION

Lynch Products Can Be Modified to Suit Your Application


Phone: 1 (888) 626-4365 or +1 (905) 363-2400 Fax: 1 (800) 263-5807 www.lynch.ca sales@lynch.ca

D05 to D03 - Valve Adapters "AB" - D05H(E) to D03

VA_05G03GAB*T**



VA_05D03GAB*T**



UNC mounting kit includes:

- 4 - 1/4"-20 x 1.00" SHCS
- 5 - 014 O-ring viton
- 2 - plug viton

Metric mounting kit includes:

- 4 - M6 x 1.00 x 22mm SHCS
- 5 - 014 O-ring viton
- 2 - plug viton


UNC mounting kit includes:

- 4 - 1/4"-20 x 1.00" SHCS
- 5 - 014 O-ring viton
- 1 - 010 O-ring viton
- 1 - 012 O-ring viton
- 1 - 016 O-ring viton
- 2 - plug viton

Metric mounting kit includes:

- 4 - M6 x 1.00 x 22mm SHCS
- 5 - 014 O-ring viton
- 1 - 010 O-ring viton
- 1 - 012 O-ring viton
- 1 - 016 O-ring viton
- 2 - plug viton

PART NUMBER SYSTEM




WE RESERVE THE RIGHT TO DISCONTINUE MODELS, OR CHANGE SPECIFICATIONS WITHOUT NOTICE OR INCURRING OBLIGATION

Lynch Products Can Be Modified to Suit Your Application


Phone: 1 (888) 626-4365 or +1 (905) 363-2400 Fax: 1 (800) 263-5807 www.lynch.ca sales@lynch.ca

D05 to D03 - Valve Adapters "BA" - D05H(E) to D03

VA_05G03GBA*TAA



VA_05D03GBA*TAA




UNC mounting kit includes:
4 - 1/4"-20 x 1.00" SHCS
5 - 014 O-ring viton
2 - plug viton (Optional)

Metric mounting kit includes:
4 - M6 x 1.00 x 22mm SHCS
5 - 014 O-ring viton
2 - plug viton (Optional)

UNC mounting kit includes:
4 - 1/4"-20 x 1.00" SHCS
5 - 014 O-ring viton
1 - 010 O-ring viton
1 - 012 O-ring viton
1 - 016 O-ring viton
2 - plug viton (Optional)

Metric mounting kit includes:
4 - M6 x 1.00 x 22mm SHCS
5 - 014 O-ring viton
1 - 010 O-ring viton
1 - 012 O-ring viton
1 - 016 O-ring viton
2 - plug viton (Optional)

PART NUMBER SYSTEM



WE RESERVE THE RIGHT TO DISCONTINUE MODELS, OR CHANGE SPECIFICATIONS WITHOUT NOTICE OR INCURRING OBLIGATION


Lynch Products Can Be Modified to Suit Your Application

Phone: 1 (888) 626-4365 or +1 (905) 363-2400 Fax: 1 (800) 263-5807 www.lynch.ca sales@lynch.ca

D05 to D05H - Valve Adapters - D05 to D05HE

External X&Y Port Connections


VA_05D05HAB*ESC



Adapter includes:
5 - 014 O-ring viton
1 - 010 O-ring viton
1 - 012 O-ring viton
1 - 016 O-ring viton


External X&Y Port Connections

VA_05D05EAB*ESC



Adapter includes:
5 - 014 O-ring viton
1 - 010 O-ring viton
1 - 012 O-ring viton
1 - 016 O-ring viton

PART NUMBER SYSTEM





WE RESERVE THE RIGHT TO DISCONTINUE MODELS, OR CHANGE SPECIFICATIONS WITHOUT NOTICE OR INCURRING OBLIGATION

Lynch Products Can Be Modified to Suit Your Application

Phone: 1 (888) 626-4365 or +1 (905) 363-2400 Fax: 1 (800) 263-5807 www.lynch.ca sales@lynch.ca



D05H to D05HE - Valve Adapters - D05HE to D05H

VA_05H05EAB*




VA_05H05EAB*
S/N *****


VA_05E05HAB*



VA_05E05HAB*
S/N *****




Adapter includes:
5 - 014 O-ring viton
2 - 010 O-ring viton



Adapter includes:
5 - 014 O-ring viton
2 - 012 O-ring viton

PART NUMBER SYSTEM




WE RESERVE THE RIGHT TO DISCONTINUE MODELS, OR CHANGE SPECIFICATIONS WITHOUT NOTICE OR INCURRING OBLIGATION

Lynch Products Can Be Modified to Suit Your Application

Phone: 1 (888) 626-4365 or +1 (905) 363-2400 Fax: 1 (800) 263-5807 www.lynch.ca sales@lynch.ca


D05 to D05"L" - Valve Adapters - D05H(E) to D05"L"

VA_05G05GAB*LSC



Adapter includes:
5 - 014 O-ring viton

VA_05D05GAB*LSC



Adapter includes:
5 - 014 O-ring viton
1 - 010 O-ring viton
1 - 012 O-ring viton
1 - 016 O-ring viton

PART NUMBER SYSTEM

TYPE	MATERIAL	MANIFOLD INTERFACE (BOTTOM)	SOLENOID INTERFACE (TOP)	PORT ORIENTATION	MOUNTING HOLES	PILOT PORT CONNECTION	PORT CODE																		
VA	Valve Adapter	05G ISO 4401-05-04 NFPA T3.5.1-D05		AB A & B Oriented																					
		05D Matches Both NFPA T3.5.1-D05 Alt A & Alt B																							
A	Aluminum		05G ISO 4401-05-04 NFPA T3.5.1-D05	U UNC Std for SAE & NPT																					
D	Ductile Iron			M Metric Std for BSP* & Metric																					
						L External drain "L" port connection																			
							<table><tr><th>CODE</th><th>TYPE</th><th>X & Y</th></tr><tr><td>SC</td><td>SAE</td><td>6</td></tr><tr><td>NB</td><td>NPTF</td><td>1/4"</td></tr><tr><td>BB</td><td>BSPP</td><td>1/4"</td></tr><tr><td>TB</td><td>BSPT</td><td>1/4"</td></tr><tr><td>MB</td><td>Metric</td><td>M10</td></tr></table>	CODE	TYPE	X & Y	SC	SAE	6	NB	NPTF	1/4"	BB	BSPP	1/4"	TB	BSPT	1/4"	MB	Metric	M10
CODE	TYPE	X & Y																							
SC	SAE	6																							
NB	NPTF	1/4"																							
BB	BSPP	1/4"																							
TB	BSPT	1/4"																							
MB	Metric	M10																							


WE RESERVE THE RIGHT TO DISCONTINUE MODELS, OR CHANGE SPECIFICATIONS WITHOUT NOTICE OR INCURRING OBLIGATION

Lynch Products Can Be Modified to Suit Your Application


Phone: 1 (888) 626-4365 or +1 (905) 363-2400 Fax: 1 (800) 263-5807 www.lynch.ca sales@lynch.ca

D07 to D03 - Valve Adapters - D07 to D05

VA_07G03GAB*



VA_07G05GAB*



UNC mounting kit includes:

- 4 - 3/8"-16 x 1.50" SHCS
- 2 - 1/4"-20 x 1.50" SHCS
- 4 - 118 O-ring viton
- 2 - 111 O-ring viton

Metric mounting kit includes:

- 4 - M10 x 1.50 x 40mm SHCS
- 2 - M6 x 1.00 x 40mm SHCS
- 4 - 118 O-ring viton
- 2 - 111 O-ring viton


UNC mounting kit includes:

- 4 - 3/8"-16 x 1.50" SHCS
- 2 - 1/4"-20 x 1.50" SHCS
- 4 - 118 O-ring viton
- 2 - 111 O-ring viton

Metric mounting kit includes:

- 4 - M10 x 1.50 x 40mm SHCS
- 2 - M6 x 1.00 x 40mm SHCS
- 4 - 118 O-ring viton
- 2 - 111 O-ring viton

PART NUMBER SYSTEM




WE RESERVE THE RIGHT TO DISCONTINUE MODELS, OR CHANGE SPECIFICATIONS WITHOUT NOTICE OR INCURRING OBLIGATION

Lynch Products Can Be Modified to Suit Your Application

Phone: 1 (888) 626-4365 or +1 (905) 363-2400 Fax: 1 (800) 263-5807 www.lynch.ca sales@lynch.ca

D07 to D05H - Valve Adapters - D07 to D05HE


VA_07G05HAB*



UNC mounting kit includes:
4 - 3/8"-16 x 1.50" SHCS
2 - 1/4"-20 x 1.50" SHCS
4 - 118 O-ring viton
2 - 111 O-ring viton
2 - pin

Metric mounting kit includes:
4 - M10 x 1.50 x 40mm SHCS
2 - M6 x 1.00 x 40mm SHCS
4 - 118 O-ring viton
2 - 111 O-ring viton
2 - pin


VA_07G05EAB*



UNC mounting kit includes:
4 - 3/8"-16 x 1.50" SHCS
2 - 1/4"-20 x 1.50" SHCS
4 - 118 O-ring viton
2 - 111 O-ring viton
2 - pin

Metric mounting kit includes:
4 - M10 x 1.50 x 40mm SHCS
2 - M6 x 1.00 x 40mm SHCS
4 - 118 O-ring viton
2 - 111 O-ring viton
2 - pin

PART NUMBER SYSTEM




WE RESERVE THE RIGHT TO DISCONTINUE MODELS, OR CHANGE SPECIFICATIONS WITHOUT NOTICE OR INCURRING OBLIGATION

Lynch Products Can Be Modified to Suit Your Application

Phone: 1 (888) 626-4365 or +1 (905) 363-2400 Fax: 1 (800) 263-5807 www.lynch.ca sales@lynch.ca

D08 to D03 - Valve Adapters - D08 to D05

VA_08G03GAB*




UNC mounting kit includes:

- 6 - 1/2"-13 x 2.25" SHCS
- 4 - 121 O-ring viton
- 2 - 114 O-ring viton
- 2 - pin

Metric mounting kit includes:

- 6 - M12 x 1.75 x 60mm SHCS
- 4 - 121 O-ring viton
- 2 - 114 O-ring viton
- 2 - pin

VA_08G05GAB*




UNC mounting kit includes:

- 6 - 1/2"-13 x 2.25" SHCS
- 4 - 121 O-ring viton
- 2 - 114 O-ring viton
- 2 - pin

Metric mounting kit includes:

- 6 - M12 x 1.75 x 60mm SHCS
- 4 - 121 O-ring viton
- 2 - 114 O-ring viton
- 2 - pin

PART NUMBER SYSTEM




WE RESERVE THE RIGHT TO DISCONTINUE MODELS, OR CHANGE SPECIFICATIONS WITHOUT NOTICE OR INCURRING OBLIGATION

Lynch Products Can Be Modified to Suit Your Application

Phone: 1 (888) 626-4365 or +1 (905) 363-2400 Fax: 1 (800) 263-5807 www.lynch.ca sales@lynch.ca

D08 to D05H - Valve Adapters - D08 to D05HE


VA_08G05HAB*



UNC mounting kit includes:
6 - 1/2"-13 x 2.25" SHCS
4 - 121 O-ring viton
2 - 114 O-ring viton
2 - pin

Metric mounting kit includes:
6 - M12 x 1.75 x 60mm SHCS
4 - 121 O-ring viton
2 - 114 O-ring viton
2 - pin


VA_08G05EAB*



UNC mounting kit includes:
6 - 1/2"-13 x 2.25" SHCS
4 - 121 O-ring viton
2 - 114 O-ring viton
2 - pin

Metric mounting kit includes:
6 - M12 x 1.75 x 60mm SHCS
4 - 121 O-ring viton
2 - 114 O-ring viton
2 - pin

PART NUMBER SYSTEM








WE RESERVE THE RIGHT TO DISCONTINUE MODELS, OR CHANGE SPECIFICATIONS WITHOUT NOTICE OR INCURRING OBLIGATION

Lynch Products Can Be Modified to Suit Your Application

Phone: 1 (888) 626-4365 or +1 (905) 363-2400 Fax: 1 (800) 263-5807 www.lynch.ca sales@lynch.ca

D08 to D07 - Valve Adapters - D06 to D05





VA_08G07GAB*



UNC mounting kit includes:
4 - 1/2"-13 x 2.25" SHCS
2 - 1/2"-13 x 1.25" SHCS
4 - 121 O-ring viton
2 - 114 O-ring viton
2 - pin

Metric mounting kit includes:
4 - M12 x 1.75 x 60mm SHCS
2 - M12 x 1.75 x 30mm SHCS
4 - 121 O-ring viton
2 - 114 O-ring viton
2 - pin


VA_06H05GAB*



UNC mounting kit includes:
4 - 3/8"-16 x 1.25" SHCS
5 - 018 O-ring viton
2 - 014 O-ring viton

Metric mounting kit includes:
4 - M10 x 1.5 x 35mm SHCS
5 - 018 O-ring viton
2 - 014 O-ring viton

PART NUMBER SYSTEM




WE RESERVE THE RIGHT TO DISCONTINUE MODELS, OR CHANGE SPECIFICATIONS WITHOUT NOTICE OR INCURRING OBLIGATION

Lynch Products Can Be Modified to Suit Your Application


Phone: 1 (888) 626-4365 or +1 (905) 363-2400 Fax: 1 (800) 263-5807 www.lynch.ca sales@lynch.ca

D10 to D07 - Valve Adapters - D10 to D08



UNC mounting kit includes:
6 - 3/4"-10 x 4.50" SHCS
4 - 220 O-ring viton
2 - 210 O-ring viton
2 - pin


Metric mounting kit includes:
6 - M20 x 2.5 x 110mm SHCS
4 - 220 O-ring viton
2 - 210 O-ring viton
2 - pin



UNC mounting kit includes:
6 - 3/4"-10 x 4.50" SHCS
4 - 220 O-ring viton
2 - 210 O-ring viton
2 - pin

Metric mounting kit includes:
6 - M20 x 2.5 x 110mm SHCS
4 - 220 O-ring viton
2 - 210 O-ring viton
2 - pin

PART NUMBER SYSTEM



WE RESERVE THE RIGHT TO DISCONTINUE MODELS, OR CHANGE SPECIFICATIONS WITHOUT NOTICE OR INCURRING OBLIGATION

Lynch Products Can Be Modified to Suit Your Application

Phone: 1 (888) 626-4365 or +1 (905) 363-2400 Fax: 1 (800) 263-5807 www.lynch.ca sales@lynch.ca

Non Standard Valve Adapters ... Consult Factory

Obsolete - Typical

01Q to D03
DG4M4 to D03
D1D04 to D03
D1D04 to D05
D06 to D05
D07 to R08
D1D12 to D07
D1D12 to D05
D1L/WE5 to D03
P37 (Double A) to D10

Rotators

D03 90° **2001F03-02821**
D03 180° **2003F03-03719**
D03 270° **2003F03-03723**
D05 90° **2006F03-05088**
D05 180° **ZTB VA_05G05GBAUTSB**

Spacers

Typical part number
VA03G03GABUS###
(where ###= height)
VA05G05GABUS###
VA10G10GABUS###

Specials

D08J (oversize) to D08
D10J (oversize) to D08J (oversize)

Servo/Servo

ISO 10372 & proprietary

04S to 02S VA_04S02SABU
04S to 06S VA_04S06SABU
04S to 57S VA_04S57SABU
04S to S71 VA_04SS71ABU
57S to 04S VA_57S04SABU
06S to 057 VA_06S057ABU

Servo/Directional

ISO 10372 & ISO 4401

02S to S03 VA_02S03SABU
04S to D03 VA_04S03GABU
04S to D05 VA_04S05GABU
06S to D05 VA_06S05GABU
S61 to D05 VA_S6105GABU
S71 to D03 VA_S7103GABU

Directional/Servo

ISO 4401 & ISO 10372

D03 to S04 VA_03G04SABU
D05 to 04S VA_05G04SABU
D08 to S04 VA_08G04SABU
D08 to Moog641 VA_08G05GABU

For more information, please consult factory

WE RESERVE THE RIGHT TO DISCONTINUE MODELS, OR CHANGE SPECIFICATIONS WITHOUT NOTICE OR INCURRING OBLIGATION

Lynch Products Can Be Modified to Suit Your Application

Phone: 1 (888) 626-4365 or +1 (905) 363-2400 Fax: 1 (800) 263-5807 www.lynch.ca sales@lynch.ca